


Universal plastic enclosures

Our TOPTEC enclosures allow pre-assembled PCBs with protruding connectors and interfaces to be mounted directly into the case. It is no longer necessary to wire in the connectors after fitting the PCB into the enclosure - an excellent advantage.

- modern aesthetic design for indoor applications as desktop or wall mounted systems as well as DIN rail mounted devices
- simple and secure snap-together case assembly
- for security, a tool is required to open the case
- · base part with lateral opening for quick and easy equipping from all sides
- · clip-in end panels allow PCBs, pre-fitted with connectors, to fit straight in
- extensive range of 28 models
- type F with flat top moulding
- type H with high top moulding
- · versions with or without ventilation slots
- · ventilation slots can also be used for gas detection and sound
- discreet wall mounting facility; the hidden wall suspension element, with fast release tab, snaps into apertures on the underside of the base
- optional DIN rail mounting clip
- protection class IP 40
- recess in top for a membrane keypad or label
- internal screw pillars for PCBs etc.





Applications and Examples

Universal enclosures for electronic and electro-technical devices. For example,

- · Monitoring purposes as check instruments, signalling equipment and control systems
- Medical and wellness devices
- Laboratory technology
- Computer peripherals
- IoT/IIoT







Adaptive multicontroller for single sensors

IR-Controlbox

MPI adapter

PROFIBUS radio system

Customising Options

What do you still need for your own very personal product? We can supply enclosures and tuning knobs with all necessary modifications for fitting your electronic components. Customising options for Toptec



Select Versions



B1040365 TOPTEC 102, Vers. I ABS (UL 94 HB) off-white RAL 9002 102x54x30mm IP 40



B1050365 TOPTEC 123 H, Vers. I ABS (UL 94 HB) off-white RAL 9002 123x68x45mm IP 40



B1055365 TOPTEC 123 F, Vers. I ABS (UL 94 HB) off-white RAL 9002 123x68x30mm IP 40



B1060365 TOPTEC 154 H, Vers. I ABS (UL 94 HB) off-white RAL 9002 154x84x56mm IP 40



B1040369 TOPTEC 102, Vers. I ABS (UL 94 HB) black RAL 9005 102x54x30mm IP 40



B1050369 TOPTEC 123 H, Vers. I ABS (UL 94 HB) black RAL 9005 123x68x45mm IP 40



B1055369 TOPTEC 123 F, Vers. I ABS (UL 94 HB) black RAL 9005 123x68x30mm IP 40



B1060369 TOPTEC 154 H, Vers. I ABS (UL 94 HB) black RAL 9005 154x84x56mm IP 40



B1040465 TOPTEC 102, Vers. II ABS (UL 94 HB) off-white RAL 9002 102x54x30mm IP 40



B1050465 TOPTEC 123 H, Vers. II ABS (UL 94 HB) off-white RAL 9002 123x68x45mm IP 40



B1055465 TOPTEC 123 F, Vers. II ABS (UL 94 HB) off-white RAL 9002 123x68x30mm IP 40



B1060465 TOPTEC 154 H, Vers. II ABS (UL 94 HB) off-white RAL 9002 154x84x56mm IP 40





B1040469 TOPTEC 102, Vers. II ABS (UL 94 HB) black RAL 9005 102x54x30mm IP 40



B1050469 TOPTEC 123 H, Vers. II ABS (UL 94 HB) black RAL 9005 123x68x45mm IP 40



B1055469 TOPTEC 123 F, Vers. II ABS (UL 94 HB) black RAL 9005 123x68x30mm IP 40



B1060469 TOPTEC 154 H, Vers. II ABS (UL 94 HB) black RAL 9005 154x84x56mm IP 40





B1065365 TOPTEC 154 F, Vers. I ABS (UL 94 HB) off-white RAL 9002 154x84x38mm IP 40



B1070365 TOPTEC 194 H, Vers. I ABS (UL 94 HB) off-white RAL 9002 194x115x68mm IP 40



B1075365 TOPTEC 194 F, Vers. I ABS (UL 94 HB) off-white RAL 9002 194x115x46mm IP 40

Accessory "wall/holder"



B1300017 Fastening element for DIN-Rails PA 6 off-white RAL 9002



B1065369 TOPTEC 154 F, Vers. I ABS (UL 94 HB) black RAL 9005 154x84x38mm IP 40

B1070369 TOPTEC 194 H, Vers. I

ABS (UL 94 HB)

black RAL 9005

194x115x68mm

IP 40



B1065465 TOPTEC 154 F, Vers. II ABS (UL 94 HB) off-white RAL 9002 154x84x38mm IP 40



B1070465 TOPTEC 194 H, Vers. II ABS (UL 94 HB) off-white RAL 9002 194x115x68mm IP 40



B1075465 TOPTEC 194 F, Vers. II ABS (UL 94 HB) off-white RAL 9002 194x115x46mm IP 40





B1070469 TOPTEC 194 H, Vers. II ABS (UL 94 HB) black RAL 9005 194x115x68mm IP 40



B1075469 TOPTEC 194 F, Vers. II ABS (UL 94 HB) black RAL 9005 194x115x46mm IP 40



TOPTEC 194 F, Vers. I ABS (UL 94 HB) black RAL 9005 194x115x46mm IP 40

B1300019

black RAL 9005

PA 6

Fastening element for DIN-Rails



B1340028 Wall suspension element for Toptec 102 PC+ABS (UL 94 V-0) pebble grey RAL 7032



B1340029 Wall suspension element for Toptec 102 ABS (UL 94 HB) black RAL 9005





B1350028 Wall suspension element for Toptec 123 PC+ABS (UL 94 V-0) pebble grey RAL 7032



B1370028 Wall suspension element for Toptec 194 PC+ABS (UL 94 V-0) pebble grey RAL 7032

Accessory "screws"



B1350029 Wall suspension element for Toptec 123 ABS (UL 94 HB) black RAL 9005

Wall suspension element for

B1370029

Toptec 194

A9199008

Set of screws

ABS (UL 94 HB)

black RAL 9005



Wall suspension element for Toptec 154 PC+ABS (UL 94 V-0) pebble grey RAL 7032



B1360029 Wall suspension element for Toptec 154 ABS (UL 94 HB) black RAL 9005



A0305031 Self-tapping screws 2.5 x 6 mm (PZ1)

Accessory



A9207150 Anti-slide feet 6.5 x 2 mm transparent

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.